

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <u>http://about.jstor.org/participate-jstor/individuals/early-journal-content</u>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1591

MORTALITY-Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Singapore. Toron to. Do. Tripoli, A frica. Turin. Winnipeg. Do. Yokohama.	July 27 Aug. 31 Sert. 12 Aug. 25 do Aug. 24 Aug. 31 Sept. 7 Aug. 19	303, 328 425, 000 392, 000 50, 000 430, 770 166, 552 444, 039	$245 \\ 113 \\ 119 \\ 27 \\ 147 \\ 92 \\ 64 \\ 36 \\ \dots$	$ \begin{array}{c} 28 \\ 4 \\ 6 \\ 4 \\ 11 \\ 5 \\ 3 \\ 2 \\ \dots \end{array} $		4		1		$ \begin{array}{c} 3 \\ 2 \\ 3 \\ 2 \\ 3 \\ 8 \\ 2 \end{array} $	1	2	í 	

MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (Untabulated).

EAST AFRICA—Laurenco Marquez.—Month of May, 1912. Population, 10,000. Total number of deaths from all causes 43, including tuberculosis 12.

Month of June, 1912. Total number of deaths from all causes 47, including tuberculosis 10.

FRANCE—Nice.—Month of July, 1912. Population, 168,185. Total number of deaths from all causes 227, including diphtheria 1, tuberculosis 30, typhoid fever 8.

GREAT BRITAIN.—Week ended August 10, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to the annual rate of 11.5 per 1,000 of the population, which is estimated at 17,639,881.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 14 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Drogheda, viz, 4.2, and the highest at Lisburn, viz, 34.3 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 13.4 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Motherwell, viz, 3.8, and the highest at Greenock, viz, 15.8 per 1,000. The total number of deaths from all causes was 560, including diphtheria 2, measles 11, scarlet fever 3.

ITALY—*Messina.*—Month of July, 1912. Population 127,000. Total number of deaths from all causes 171, including diphtheria 1, measles 1, scarlet fever 12, smallpox 1, tuberculosis 3, typhoid fever 2.

Venice.—Month of January, 1912. Population 184,325. Total number of deaths from all causes 338, including scarlet fever 1, tuberculosis 35, typhoid fever 4. Month of February, 1912. Population 184,325. Total number of deaths from all causes 320, including diphtheria 1, measles 3, scarlet fever 1, smallpox 1, tuberculosis 23.

Month of March, 1912. Population 184,325. Total number of deaths from all causes 296, including diphtheria 1, measles 1, small-pox 8, tuberculosis 27.

JAPAN—Formosa.—Month of July, 1912. Population 3,341,217. Total number of deaths from all causes not reported. The deaths include cholera 13, diphtheria 1, plague 10, typhoid fever 26.

SIAM—Bangkok.—Four weeks ended July 13, 1912. Population 600,000. Total number of deaths from all causes not reported. The deaths include cholera 57, plague 1, smallpox 10.

MEXICO—Durango.—Month of August, 1912. Population 35,000. Total number of deaths from all causes 153, including scarlet fever 2, smallpox 3, tuberculosis 1, typhoid fever 2.

ST. THOMAS.—Three months ended June 30, 1912. Population 11,012. Total number of deaths from all causes 258, including tuberculosis 10, typhoid fever 2.

URUGUAY—Montevideo.—Month of June, 1912. Population 343,-849. Total number of deaths from all causes 466, including diphtheria 2, scarlet fever 1, tuberculosis 66, typhoid fever 7.

By authority of the Secretary of the Treasury:

RUPERT BLUE, Surgeon General, United States Public Health Service.

